## AMENDMENTS TO THE SPECIFICATION

- Page 9, after line 24, after <u>BRIEF DESCRIPTION OF THE DRAWINGS</u>, please amend as follows:
- Fig. 1 is a graph of <u>murine</u> bone marrow stem cell proliferation and Fig. 2 is a graph of NO production in murine macrophage cells;
- Figs. 3, 4 and 5 are graphs of Dextran-FITC conjugate take up <u>by human dendritic</u> cells differentiated from monocytes isolated from peripheral blood;
- Fig 6 is a graph of CD40 co stimulating surface marker expression from human dendritic cells;
- Figs. 7, 8 and 9 are graphs of CD86, CD83 and CD80 eo-stimulating surface marker expression, respectively, from human dendritic cells;
- Fig. 10 is a graph Figs. 10, 11 and 12 are graphs of OM-294-MP and OM-294-DP effects of α TNF-α production by predentritic cells at DC-6 stage; in supernatants of human dendritic cellsw culture;
- Fig. 11 is a graph of OM-294-MP and OM-294-DP on IL12 p70 production by predentritic cells at DC-6 stage;
- Fig. 12 is a graph of the effect of OM-294-MP on IL12 p70 production in the supernatant fluid of monocytes;
- Figs. 13, 14 and 15 are graphs of ELISA 2, 3 and 4 weeks after the first, second and third immunization of mice with a malaria antigen(- the synthetic peptide Pb CS His6 242-310 amino acid sequence of Plasmodium berghei circumsporozoite;

Fig. 16 is a graph of antibody titer before and after immunization of mice with a malaria antigen (the synthetic peptide Pb CS His-6 242-310 amino acid sequence of Plasmodium berghei circumsporozoite;

Figs. 17 to 20 are graphs of ELISPOT IFN-γ IFN producing lymphocytes after immunization of mice a malaria antigen( with the synthetic peptide Pb CS His-6 242-310 amino acid sequence of Plasmodium bergei circum sporozoite; and

Fig. 21 is an electropheretogram electropherogram;

Figs. 22 to 29 are graphs of specific <u>mouse</u> antibodies <del>IgG1, IgG2a, Igm</del> directed to specific <del>agents</del> antigens;

Figs. 30(a) and 30(b) are graphs of <u>anti-gp63</u> anti-qp63 immune response and Figs. 31(a) and 31(b) are graphs of lymph node lymphocyte response;

Figs. 32(a) and 32(b) are graphs of anti-LmCPb immune response;

Figs. 33, 34 and 35 are outlines of various processes of the invention

Figs. 33 to 38 are schemes outlining the synthetic processes of the invention;

Figs. 39 to 41 are graphs of ES MS Mass spectra of the compounds of the invention;

Fig. 42 and 43 are graphs of <sup>1</sup>H-NMR spectra of the compounds of the invention;

Figs 44 and 45 are graphs of <sup>13</sup>C-NMR spectra of the compounds of the invention;

Fig. 46 is a graph and 47 are <sup>31</sup>P-NMR spectra of the compounds of the invention.